Technical details

AnnA Koorenhuis Theatre

GENERAL

The room has sloping walls forming a trapezoidal shape narrowing from the front of the room to the stage. Emergency exits for artists are on both sides of the stage. Emergency exits doubling as entrances for the audience are at the front of the room.

Tribune (telescopic):	ascending, max. 123 persons divisible into platforms of 11 seats
Without tribune:	max. 250 persons non-seated
Dimensions stage:	width: 13,90 meters downstage, 14,40 meters upstage depth: 8,70 meters height: 0,60 meters Playable area between wings/legs and running black: width: 8,70 meters depth: 7,00 meters
Clearance:	max. 5,10 meters up to static grid max. 4,50 meters up to spots
Floor:	non floating parquet Marley PVC floor, black
Curtains:	back: running black, divided in 4 parts, 10,0 meters wide, black both sides: 2 wings/legs and running black divided in 8 parts, 7,0 meters wide horizon back mesh, white

LIGHTING

Controlling:	Controlling: Desk: Zero88 FLX & faderwing 60 x CEE-form sockets underneath grid 50 x CEE-form sockets in the grid 10 x CEE-form sockets on the floor 96 x dimmers 3.2 kW EC21 Strand Lightning 9 x 16A / 230V fixed voltage CEE-form

Fixed light plan

Our fixed lighting plan provides for almost all our performances. We have a static grid so all changes have to be done with our Genie vertical mast lift. Changing our fixed lighting plan requires extra construction and rebuilding hours. Note: Our moving heads and Lee 151 front lights cannot be changed.

Spots (stage):	Front:	5 x RobertJuliet pebble 1 kW (Lee151)
		4 x RobertJuliet pebble 1 kW (Lee201)
		6 x ETC zoom profile 15°-30° 1 kW
	Front 2:	3 x RobertJuliet pebble 1 kW (Lee151)
		3 x RobertJuliet pebble 1 kW (Lee201)
	Side Left:	3 x RobertJuliet Fresnel 1kW (Lee151)
		3 x RobertJuliet Profile 1 kW (Lee201)
	Side right:	3 x RobertJuliet Fresnel 1kW (Lee151)
		3 x RobertJuliet Profile 1 kW (Lee201)
	Back:	2 x RobertJuliet Fresnel 1 kW (L&R);
		1 x ADB pebble 1 kW (C)
		8 x Showtec Shark Wash One
	Back/top:	8 x Showtec Infinity iW1915 moving wash
	Top:	9 x ADB pebble 1 kW (3 x 3)

Spots (hall):	12 x Showtec Shark Wash One
	6 x ADB pebble 500 W (audience light)
Not fixed:	2 towers each with 4 x PAR 56 longnose 0,5 kW
	4 x PAR 64 floorcan Shortnose 1,0 kW
	6 x ETC profile 36 deg
	2 x ETC profile 19 deg
Extra:	1 x Swefog Duramax Intellahazer

SOUND

PA:	4 x Loudspeaker NEEF T121 (12”/1”) (2L/2R)
	2 x Loudspeaker NEEF H18 sub HYBRID 18” L/R
	2 x Loudspeaker NEEF F15 sub INFRA (center stage)
	1 x 4ch amplifier LAB GRUPPEN fp10.000Q
	1 x processor XTA426 (AES in | 2x 3way processing | locked)
Monitors:	6 x Sound Projects X-Act Active stage monitor
Desks:	Digico SD11 (no SD11 “i” version)
	including D-stagerack, Cat5e multi, 96 kHz,
	28 in – 8 out + 4 AES out (incl. L&R feed)
	Mixer FOH+MON combined

Mic's & DI's:	1 x Neumann KM184 1 x AKG C214 stereo-set 2 x AKG C391B 2 x Sennheiser E 908 D 5 x Sennheiser E 604 2 x Sennheiser E 906 3 x Sennheiser E 845 1 x Shure Beta 52 1 x Shure Beta 57 1 x Shure SM 94 6 x Shure SM 58 4 x Shure SM 57 4 x ASL active DI box 1 x BSS AR116 active DI box 3 x Radial PRO 48 active DI box 1 x Radial PRO D2 DI box (stereo)
Wireless:	2 x Sennheiser EW500 G3 receiver* 1 x Sennheiser SKM500 965 handheld* 1 x Sennheiser SKM500 935 handheld* 2 x Sennheiser SK500 bodypack with MKE2 lavalier black*

VIDEO

Projection:	Canon XEED WU6010 LCOS LCD projector* ansi lumen: 6000 contrast: 2000:1 resolution: 1920x1200 HDMI/VGA connection from cabin or stage right Full stage projection on horizon back mesh, white* aspect ratio: 16:9

EXTRAS

Piano:	Steinway B Grand piano* (tuning on request)
Power supply:	160A for the use of static installation 16A CEE-form upstage-left
Additional:	ACS acoustic system (explanation on request) We use a Genie IWP20 vertical mast lift with outreach package, max. height 8,50 meters.

* availability on request

CONTACT

Production
Lisa Mol | evenementen@annaconkoor.nl | 070 7071746 | 06 2886 9946

Technical
Menno Levenbach | menno.levenbach@icloud.com | 06 1888 7193

Facility management
Timothy Aarbodem | beheer@annaconkoor.nl | 06 3431 5350